

U.S. Serial No. 09/891,064
Docket No. 26068-08D

Examiner: P. Nolan
Art Unit: 1644

LISTING OF CLAIMS

1. (Currently amended) An isolated and purified human occludin polypeptide, ~~or a fragment or variant thereof consisting of fewer amino acids than a full length human occludin polypeptide, wherein the polypeptide, or fragment or variant thereof has~~ having at least about 60% sequence homology with residues 33 to 522 of SEQ. ID. NO: 2, the human occludin fragment polypeptide, ~~or fragment or variant thereof~~ being able to inhibit the barrier properties of epithelial or endothelial cells.
2. (Currently amended) An isolated and purified human occludin polypeptide, ~~or a fragment or variant thereof consisting of fewer amino acids than a full length human occludin polypeptide, wherein the polypeptide, or fragment or variant thereof has~~ having at least about 80% sequence homology with residues 33 to 522 of SEQ. ID. NO: 2, the human occludin fragment polypeptide, ~~or fragment or variant thereof~~ being able to inhibit the barrier properties of epithelial or endothelial cells.
3. (Currently amended) An isolated and purified human occludin polypeptide, ~~or a fragment or variant thereof consisting of fewer amino acids than a full length human occludin polypeptide, wherein the polypeptide, or fragment or variant thereof has~~ having at least about 90% sequence homology with residues 33 to 522 of SEQ. ID. NO: 2, the human occludin fragment polypeptide, ~~or fragment or variant thereof~~ being able to inhibit the barrier properties of epithelial or endothelial cells.

U.S. Serial No. 09/891,064
Docket No. 26068-08D

Examiner: P. Nolan
Art Unit: 1644

4. - 26. (Cancelled)

27. (Currently amended) An isolated and purified human occludin ~~polypeptide, or a fragment or variant thereof consisting of fewer amino acids than a full length human occludin polypeptide, wherein the polypeptide, or fragment or variant thereof has~~ having at least about 60% sequence homology with residues 89 to 138 of SEQ. ID. NO: 2, the human occludin fragment ~~polypeptide, or fragment or variant thereof~~ being able to inhibit the barrier properties of epithelial or endothelial cells.

28. (Currently amended) An isolated and purified human occludin ~~polypeptide, or a fragment or variant thereof consisting of fewer amino acids than a full length human occludin polypeptide, wherein the polypeptide, or fragment or variant thereof has~~ having at least about 60% sequence homology with residues 196 to 246 of SEQ. ID. NO: 2, the human occludin fragment ~~polypeptide, or fragment or variant thereof~~ being able to inhibit the barrier properties of epithelial or endothelial cells.

29. (Currently amended) An isolated and purified human occludin ~~polypeptide, or a fragment or variant thereof consisting of fewer amino acids than a full length human occludin polypeptide, wherein the polypeptide, or fragment or variant thereof has~~ having at least about 80% sequence homology with residues 89 to 138 of SEQ. ID. NO: 2, the human occludin fragment ~~polypeptide, or fragment or variant thereof~~ being able to inhibit the barrier properties of epithelial or endothelial cells.

U.S. Serial No. 09/891,064
Docket No. 26068-08D

Examiner: P. Nolan
Art Unit: 1644

30. (Currently amended) An isolated and purified human occludin polypeptide, ~~or a fragment or variant thereof consisting of fewer amino acids than a full length human occludin polypeptide, wherein the polypeptide, or fragment or variant thereof has~~ having at least about 80% sequence homology with residues 196 to 246 of SEQ. ID. NO: 2, the human occludin fragment polypeptide, ~~or fragment or variant thereof~~ being able to inhibit the barrier properties of epithelial or endothelial cells.

31. (Currently amended) An isolated and purified human occludin polypeptide, ~~or a fragment or variant thereof consisting of fewer amino acids than a full length human occludin polypeptide, wherein the polypeptide, or fragment or variant thereof has~~ having at least about 90% sequence homology with residues 89 to 138 of SEQ. ID. NO: 2, the human occludin fragment polypeptide, ~~or fragment or variant thereof~~ being able to inhibit the barrier properties of epithelial or endothelial cells.

32. (Currently amended) An isolated and purified human occludin polypeptide, ~~or a fragment or variant thereof consisting of fewer amino acids than a full length human occludin polypeptide, wherein the polypeptide, or fragment or variant thereof has~~ having at least about 90% sequence homology with residues 196 to 246 of SEQ. ID. NO: 2, the human occludin fragment polypeptide, ~~or fragment or variant thereof~~ being able to inhibit the barrier properties of epithelial or endothelial cells.